


25 Years of Expertise, Next-Generation Quality

At Taurus, we continue to be the leading brand in quality and reliability in the PVC profile sector by combining 25 years of industry experience with modern manufacturing excellence.

Our state-of-the-art 30,000 m² facility located in Adana is equipped with German-technology production lines. Using exclusively premium-grade raw materials, we manufacture durable, long-lasting products that meet not only today's demands but also tomorrow's needs.




Platinium Series 70 mm




- With its 70x70 mm profile width and 5-chamber structure, it delivers insulation performance that exceeds expectations.
- Offering a wide range of glazing thickness options from 4 mm to 40 mm, it provides flexible solutions for diverse project requirements.
- A comprehensive choice for those seeking high performance and durability.



Scan the QR code for detailed technical specifications



Titanium Series 70x60




- With its 70x60 mm profile width, 2.2 mm wall thickness, and 4-chamber structure, it delivers superior performance.
- Offering glazing thickness options up to 33 mm, it provides durable and reliable solutions.



Scan the QR code for detailed technical specifications



Silver Series 60 mm



Featuring a 60 mm profile width and 4-chamber structure, this series delivers qualified and economical solutions.



Scan the QR code for detailed technical specifications



Sliding Series with Insect Screen 115 mm



Profile Width (mm)	115
Number of Chambers	4
Glazing Thickness (mm)	20-24


- This sliding series features a 115 mm profile width and4-chamber structure with an integrated insect screen system.
- The dual-sliding sash and screensystem ensures practical use.
- It delivers quality and functional solutions with 20-24 mm glass thickness options.



Scan the QR code for detailed technical specifications



Double Sliding Series 79 mm



Profile Width (mm)	79x60
Number of Chambers	3
Glazing Thickness (mm)	4-20-24


- Designed for double-sash sliding systemswith its 79x60 mm profile width and 3-chamber structure.
- Offers quality and durable solutions with glazing thickness options of 4-20-24 mm.



Scan the QR code for detailed technical specifications



Double Sliding Series 75 mm



Profile Width (mm)	75
Number of Chambers	3
Glazing Thickness (mm)	20-24


- Designed for double-sash sliding systemswith its 75 mm profile width and 3-chamber structure.
- The Double Sliding Series provides space-saving solutions through its bi-directional sliding sashes.
- Offers economical and practical solutions with glazing thickness options of 20-24 mm.



Scan the QR code for detailed technical specifications



Single Sliding Series 93 mm



Profile Width (mm)	93
Number of Chambers	3
Glazing Thickness (mm)	20-24

- Designed for sliding systems with its 93 mm profile width and 3-chamber structure.
- The Single Sliding Series enables more efficient use of space with its sliding sashes instead of opening sashes, while offering functional solutions with glazing thickness options of 20-24 mm.



Scan the QR code for detailed technical specifications







Stay connected with us to learn about our new products, projects, and exclusive campaigns!













Kelemeti Mahallesi, Dr. Devlet Bahçeli Bulvarı, No:24 Ceyhan /Adana 01920 www.tauruspvc.com • info@tauruspvc.com